This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

CERTI**KE** TE OF MALE respondence is being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231, on July 11, 2002 Tanya Parker (Typed or Printed Name of Person Mailing Paper or Fee) erson Mailing Paper or Fee)

RECEIVED

JUL 16 2002

TECHNOLOGY CENTER 2800

MTC-0756

Attorney Docket No.:

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §1.97

Inventor:

Youping Zhang

Title:

METHOD AND APPARATUS FOR CONTROLLING RIPPLING DURING

OPTICAL PROXIMITY CORRECTION

Filing Date:

December 12, 2001

Serial Number:

10/016,837

Group Art Unit:

2825

Examiner:

To Be Assigned

Listed below or on an attached Form PTO-1449 is information known to applicant(s) and submitted pursuant to 37 C.F.R. §1.56. A copy of each listed publication and U.S. and foreign patent, except for pending U.S. applications, is being submitted herewith, along with a concise explanation of information in a foreign language, if any, pursuant to 37 C.F.R. §1.97-1.98.

Applicants respectfully request that the listed information be considered by the Examiner and be made of record in the above-identified application. If form PTO-1449 is enclosed, the Examiner is requested to initial and return it in accordance with MPEP §609.

This statement is not intended to represent that a search has been made or that the information cited in the statement is, or is considered to be, material to patentability as defined in §1.56.

X	This statement qualifies under 37 C.F.R.	§1.97, subsection (b) because (check all that apply):
	This statement quantities and of the second	31.5., <u>20000011111111111111111111111111111111</u>

It is being filed within 3 months of the application filing date (1) -- OR --

It is being filed within 3 months of entry of a national stage (2)

<u>X</u> (3) It is being filed before the mail date of the first

_	filing d set fort merits,	RR. § 1.97(c). If this statement is being filed after the latest of: (1) three months beyond the late of a national application; (2) three months beyond the date of entry of the national stage as h in §1.491 in an international application; or (3) the mailing date of a first Office action on the but before the mailing date of the earlier of a final office action under §1.113 or a notice of nice under §1.311, then:
	_	a certification as specified in §1.97(e) is provided below; or
	_	a fee of \$240.00 as set forth in \$1.17(p) is authorized below, enclosed, or included with the payment of other papers filed together with this statement. Please note that a check in the amount of \$240.00 is enclosed in payment.
		$R. \S 1.97(d)$. If this statement is being filed after the mailing date of the earlier of a final office under $\S 1.113$ or a notice of allowance under $\S 1.311$, but before payment of the issue fee, then:
	A.	a certification as specified in §1.97(e) is completed below; and
	B.	a petition under 37 C.F.R. §1.97(d) requesting consideration of this statement is submitted herewith; and
	C.	a fee of \$130.00 as set forth in §1.17(i)(1) is authorized below, enclosed, or included with the payment of other papers filed together with this statement.
_	contain patent of filing of information counter after m stateme	ent under 37 C.F.R. §1.97(e) - I hereby certify that either: each item of information and in the information disclosure statement was cited in a communication from a foreign office in a counterpart foreign patent application not more than three months prior to the fifthe information disclosure statement; or no item of information contained in the ation disclosure statement was cited in a communication from a foreign patent office in a spart foreign patent application, and, to the knowledge of the person signing the statement aking reasonable inquiry, no item of information contained in the information disclosure ent was known to any individual designated in section 1.56(c) more than three months prior filing of the information disclosure statement.
	Signatu	A. Richard Park (Reg. No. 41,241) Date
		Respectfully submitted,

PARK, VAUGHAN & FLEMING LLP 508 Second Street, Suite 201 Davis, CA 95616 (530) 759-1661

Date: July 11, 2002

A. Richard Park Reg. No. 41,241

•					SHĒ	<u>, ج</u>	PHY.
· · · · · · · · · · · · · · · · · · ·			Atty. Docket No.	Serial	No.	,	0
INFORMATION DISCLOSURE		ISCLOSURE NMTC-0756		10/	- .		
	CITATION	TPESC	Applicant ZHANG, Youping		016,837 _{CENTER} 2800	2002	EIVED
PTO-1449 _{JUL} 1 5 2002 8			Filing Date 12/12/2001	Group 2825			
			REIGN PATENT DOCUM	ENTS			
EXAMINER'S INITIALS	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	YES	SLATION NO
	JP 3-80525	4/5/1991	JP				
	WO 00/67074 A1	11/9/2000	wo				
	GB 2,324,169 A	10/14/1998	GB				

EXAMINER:	Date Considered:	
		 _

SHEET __of __

		Atty. Docket No.	Seriai No.	王		
INFOR	MATION DISCLOSURE	NMTC-0756	10/016,837	<u>10</u>	٥	7
	CITATION	Applicant		367.	JUL 16	
	OIPE	ZHANG, Youping		CE)	S	RECEIVED
	PTO-1449	Filing Date	Group	HNOLOGY CENTER	2002	
	JUL 1 32	12/12/2001	2825	2800		
	TO ADEMINATE					
		(Including Author, Title,	Date, Pertinent Pages,	Etc.)	
EXAMINER'S INITIALS	CITATION					
	Ackmann, P., et al., "Phase Shifting and O Manufacturing for Sub 0.35 um I-Line", S			ces in		
.•	Lithas, "Lithas: Optical Proximity Correct	tion Software" (2 pages).				
	Precim, "Proxima System", Precim Compa	my, Portland, Oregon (2 pages).				
	Precim, "Proxima Wafer Proximity Correction System", Precim Company, Portland, Oregon (2 pages).					
<u> </u>	Rieger, M., et al., "Mask Fabrication Rules for Proximity-Corrected Patterns", Precim Company, Portland, Oregon (10 pages).					
,	Rieger, M., et al., "Using Behavior Modeli	ng for Proximity Correction", Precin	n Company, Portland, Oregon (6 pages).	
	Cobb, et al., "Fast Sparse Aerial Image Ca	Iculation for OPC", SPIE, Vol. 2621	, pp. 534-544, September 20-22	, 1995.		
	Lucas, K., et al., "Model Based OPC for 1s	st Generation 193nm Lithography", h	Motorola Inc., IDT assignee to I	MEC (12 pag	es).
	Stirniman, J., et al., "Quantifying Proximit Packard Labs (9 pages).	y and Related Effects in Advanced V	Vafer Processes", Precim Comp	nay, He	wlett	
	Sugawara, M., et al., "Practical Evaluation of Optical Proximity Effect Correction by EDM Methodology", Sony Corporation (1 pages).					
	Saleh, B., et al., "Reduction of Errors of M Engineering, Vol. 20, No. 5, pp. 781-784,		Optimal Corrections of Original	Masks	", Opti	ical
	Fu, C.C., et al., "Enhancement of Lithogra, 38, No. 12, pp. 2599-2603, December 199		s", IEEE, Transactions On Elect	ron De	vices,	Vol.
	Harafuji, K., et al., "A Novel Hierarchical 12, No. 10, pp. 1508-1514, October 1993.	Approach for Proximity Effect Corre	ection in Electron Beam Lithogr	aphy",	IEEE,	Vol.
	Rieger, M., et al., "System for Lithography pages).	Proximity Compensation", Precim (Company, Portland, Oregon, Se	ptembe	r 1993	(28

EXAMINER:	Date Considered:	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP § 609; draw line through citation if not in conformance <u>and</u> not considered. Include copy of this form with next communication to applicant.

· · · · · · · · · · · · · · · · · · ·							
		Atty. Docket No.	Serial No.	E			
INFODE	MATION DISCLOSURE	NMTC-0756	10/016,837	웊			
INFOR				ے ج	. 20		
	CITATION O PE	Applicant		סר ספא. כנו מר ו פ			
	777	ZHANG, Youping		- C	im ;		
	PTO-1449 (1111 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Filing Data	Group	Ä _	∖⋜∣		
	\2,300	Filing Date		ENTER	RECEIVED		
	TRADEN	12/12/2001	2825	JUL 16 ZUUZ TECHNOLOGY CENTER 280			
	OTHER DOCUMENTS	(Including Author, Title, Da	ate, Pertinent Pages				
EXAMINER'S	CITATION	···					
INITIALS	*						
	Stirniman, J., et al., "Fast Proximity Corre	ction with Zone Sampling", SPIE, Vol.	2197, pp. 294-301 (1994).				
	Stirniman, J., et al., "Optimizing Proximity Correction for Wafer Fabrication Processes", SPIE, Photomask Technology And						
	Management, Vol. 2322, pp. 239-246 (1994).						
	Stirniman, J., et al., "Wafer Proximity Correction and Its Impact on Mask-Making", Bacus News, Vol. 10, Issue 1, pp. 1, 3-7, 10-12, January 1994.						
	Henderson, R., et al., "Optical Proximity E (1994).	ffect Correction: An Emerging Technol	ogy", Microlithography Wo	rld, pp. 6-	12		
	Barouch, E., et al., "OPTIMASK: An OPC February 1995.	Algorithm for Chrome and Phase-Shift	Mask Design", SPIE, Vo. 2	2440, pp. 1	92-206,		
	Yen, A., et al., "Characterization and Corre Modeling", J. Vac. Sci. Technol. B, Vol. 1			Using Be	havior		
	Morimoto, H., et al., "Next Generation Mask Strategy - Technologies are Ready for Mass Production of 256MDRAM?", SPIE, Vol. 3236, pp. 188-189 (1997).						
	Park, C., et al., "An Automatic Gate CD C	ontrol for a Full Chip Scale SRAM Dev	ice", SPIE, Vol. 3236, pp. 3	50-357 (19	997).		
	Dolainsky, C., et al., "Application of a Sim (1997).	ple Resist Model to Fast Optical Proxin	nity Correction", SPIE, Vol.	3051, pp.	774-780		
	Chuang, H., et al., "Practical Applications Logic Devices", IEEE, pp. 18.7.1-18.7.4, I	of 2-D Optical Proximity Corrections for the process of the company of the proximity Corrections for the proximity Correction Corrections for the proximity Correction Corre	r Enhanced Performance of	0.25um R	andom		
	Asai, N., et al., "Proposal for the Coma Ab Vol. 37, pp. 6718-6722 (1998).	erration Dependent Overlay Error Comp	pensation Technology", Jpn.	J. Appl. P	hys.,		

EXAMINER:	Date Considered:	

INFORMATION DIS CITATION

Atty. Docket No.

NMTC-0756

Serial No.

10/016,837 CENTER 2800

Applicant

Filing Date

ZHANG, Youping

Group

U.S.	PA	TEN	JT	DΩ	CU	MI	N.	rs
U.J.	10	ra mir		$\boldsymbol{\nu}$	-	, T A T T	-11	

12/12/2001

EXAMINER'S	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING
INITIALS						DATE
	5,631,110	5/20/1997	Shioiri, et al.	430	5	6/5/1995
	5,682,323	10/28/1997	Pasch, et al.	364	491	3/6/1995
	5,723,233	3/3/1998	Garza, et al.	430	5	2/27/1996
	5,815,685	9/29/1998	Kamon	395	500	9/15/1995
	5,825,647	10/20/1998	Tsudaka	364	167.03	3/12/1996
	5,991,006	11/23/0199	Tsudaka	355	53	10/27/1997
<u> </u>	6,081,658	6/27/2000	Rieger, et al.	395	500.22	12/31/1997
	6,289,499	9/11/2001	Rieger, et al.	716	21	1/7/2000
	6,243,855 B1	6/5/2001	Kobayashi, et al.	716	19	9/29/1998
	6,249,597 B1	6/19/2001	Tsudaka	382	144	12/17/1998

EXAMINER:	Da	ate Considered:	
•			